

## Approximation for periodic functions via weighted A-statistical convergence for sequences of positive linear operators

---

<sup>1</sup> EKREM (ALJIMI) ALIMI, <sup>2</sup> ELIDA HOXHA,  
<sup>3</sup> FLORIM HYSENI, <sup>4</sup> XHEVDET THAQI

<sup>1,4</sup> Faculty of Computer Sciences, University "Kadri Zeka", Gjilan, Kosovo  
<sup>2,3</sup> Department of Mathematics, University of Tirana, Albania  
ekrem.halimii@yahoo.co.uk, elidahoxha@yahoo.com,  
florimhyseni@hotmail.com, xhevdet.thaqi@uni-gjilan.net

In this paper, we use the notion of weighted A-statistical convergence to prove the Korovkin approximation theorem for the functions 1, cos and sin in the spaces of all continuous  $2\pi$ -periodic functions on the real line. We also study the rate of weighted A-statistical convergence for periodic functions.

### REFERENCES

- [1] F. Altomare, *Korovkin-type theorems and approximation by positive linear operators*, Surv. Approx. Theory 5 (2010) 92–164.
- [2] N. L. Braha, H. M. Srivastava, S. A. Mohiuddine, *A Korovkins type approximation theorem for periodic functions via the statistical summability of the generalized de la Vall'ee Poussinmean*, Applied Mathematics and Computation, vol. 228 (2014) pp. 162–169.
- [3] O. H. H. Edely, S. A. Mohiuddine, A. Noman, *Korovkin type approximation theorems obtained through generalized statistical convergence*, Applied Mathematics Letters, vol. 23, no.11 (2010) pp. 1382–1387.
- [4] M. Mursaleen, V. Karakaya, M. Ertürk, F. Gürsoy, *Weighted statistical convergence and its application to Korovkin type approximation theorem*, Applied Mathematics and Computation, vol. 218, no. 18 (2012) pp. 9132–9137.